



Innovative | Cost effective - Customized Solutions | On time delivery | Customer Satisfaction



Experience the Royalty of Trust, Commitment & Quality

Plot No.4, Survey No.66, Mahadev Ind. Estate, Behind Dipesh Lodge, Uttarshiv, Dist - Thane - 400612

Website : www.royalportcabins.com - Email : sales@royalportcabins.com

Contact us on: +91-8879600135 | +91-8879600133 | +91-8879600132



Innovative | Cost effective - Customized Solutions | On time delivery | Customer Satisfaction



Experience the Royalty of Trust, Commitment & Quality

PROFILE

Welcome to **ROYAL PORTABLE CABINS** initiated with the aim of serving the industry professionally with quality products. A name that evokes in-depth experience, enduring commitment, personal touch, dedication towards providing the best service to clients and on time deliveries. **ROYAL** offers a wide range of containers and containerized systems for commercial application. Royal has set the industry standard in quality, design, fabrication and modification for site offices, storage and shelter facilities.

Our target is to offer the clients world class facilities in most affordable and competitive prices. We are proud of our team of engineers and planners who are instrumental in the success of our numerous projects. Satisfaction of the clients are living examples of our glorious success.

ROYAL manufactures different structures and facilities which are tailor made as per the requirement of our valued clients. Our major products are

M.S. PORTA CABINS

MULTI STOREY PORTA CABINS

PRE FAB PORTA CABINS

BUNK HOUSES

STORAGE GODOWNS

WARE HOUSES

LABOUR CAMPS

TOLL BOOTHS

PORTABLE TOILET BLOCKS

SECURITY CABINS

TECHNICAL LABS.

GUARD ROOMS.

We are proud to have dedicated employees, who have planned and professional approach and believe in offering quality products with all built-in amenities.

We look forward to associate with your Esteemed Organization and serve you to your satisfaction. Do get in touch with us on **Cell Nos. 8879600135, 8879600133, 8879600132** or email us on our mail id. **sales@royalportacabins.com** for any of your queries, our sales staff will always be obliged to assist you.

PORTA CABIN

SPECIFICATION OF PORTABLE CABINS

1) BASE :

125mm x 65mm "I" Beam, cross member of 100mm x 50mm "I" Beam, with 50mm x 50mm Angle mounted with 18mm marine ply and vinyl flooring.

2) ROOF :

Top outer curved type M.S. 1.2mm (18swg) plain sheet welded with M.S. Frame structure, top inner decorated with 9mm MDF board.

3) CAGE STRUCTURE & WALL PANEL : MS Frame work with square pipe & wall thickness 50mm.

EXTERIOR WALL : M.S. 1.2mm. bended sheet welded on M.S. Frame.

INTERNAL WALL : 9mm. MDF board.

4) INSULATION:

All void within the external wall, inner wall & roof are filled with R.B. Glass Wool of 50mm. thick which posses a rare combination of lower thermal conductivity & high resistance to moisture & heat.

5) DOOR:

Frame work of 30mm x 30mm square pipe external wall made by M.S. sheet & inner wall decorated with 9mm. MDF board & suitable locking system.

6) WINDOW:

Window shall be of aluminium black powder coated double shutter sliding type, with dark float glass & venetian blind covered by grill from the outside.

7) PAINT:

All components are washed thoroughly with epoxy thinner, joints filled with carpenter and then painted with epoxy red oxide both outside/inside & then painted with two coats of epoxy paint. (This is done to give an aesthetic look to the cabin and it also has a longer life compared to other paints.)

8) AIRCONDITIONING:

Provision for split or window A/C is provided as per the requirement.

9) ELECTRICAL:

All electric wiring will be concealed & fitted with modular switches & sockets, fans, tube lights & bulk head light above the door will be provided.



INTERIOR VIEW

Office Cabin with work station



Office Cabin



Conference Room



Accommodation Cabin

SECURITY CABIN

SPECIFICATION OF SECURITY GUARD CABINS

- 1). **BASE :**
75mm x 40mm M.S. pipe , cross member of 40mm x 40mm M.S. pipe, mounted with 18mm marine ply and vinyl flooring.
- 2). **ROOF :**
Top outer curved type M.S. 1.2mm(18swg) plain sheet welded with M.S. Frame structure, top inner decorated with 9mm MDF board.
- 3). **CAGE STRUCTURE & WALL PANEL :**
MS Frame work with square pipe & wall thickness 50mm.
EXTERIOR WALL : M.S. 1.2mm. Bended sheet welded on M.S. Frame.
INTERNAL WALL : 9mm. MDF board.
- 4). **INSULATION:**
All void within the external wall, inner wall & roof are filled with R.B. Glass Wool of 50mm. thick, which posses a rare combination of lower thermal conductivity & high resistance to moisture & heat.
- 5). **DOOR:**
Frame work of 30mm x 30mm square pipe external wall made by M.S. sheet & inner wall decorated with 9mm. MDF board & suitable locking system.



- 6). **WINDOW:**
Window shall be of aluminium black powder coated double shutter sliding type, with dark float glass & venetian blind covered by grill from the outside.
- 7). **PAINT:**
All components are washed thoroughly with epoxy thinner, joints filled with carpape and then painted with epoxy red oxide both outside/inside & then painted with two coats of epoxy paint. (This is done to give an aesthetic look to the cabin and it also has a longer life compared to other paints.)
- 8). **AIRCONDITIONING:**
Provision for split or window A/C is provided as per the requirement.
- 9). **ELECTRICAL:**
All electric wiring will be concealed & fitted with modular switches & sockets, fans, tube lights & bulk head light above the door will be provided.

PORTABLE TOILET



SPECIFICATION OF PORTABLE TOILET

- 1). **BASE :**
75mm x 40mm M.S. pipe , cross member of 40mm x 40mm M.S. pipe, mounted with 18mm marine ply and vinyl flooring.
- 2). **ROOF :**
Top outer curved type M.S. 1.2mm(18swg) plain sheet welded with M.S. Frame structure, top inner decorated with 9mm MDF board.
- 3). **CAGE STRUCTURE & WALL PANEL :**
MS Frame work with square pipe & wall thickness 50mm.
EXTERIOR WALL : M.S. 1.2mm. Bended sheet welded on M.S. Frame.
INTERNAL WALL : 4mm. Bake light Sheet.
- 4). **INSULATION:**
All void within the external wall, inner wall & roof are filled with R.B. Glass Wool of 50mm. thick, which posses a rare combination of lower thermal conductivity & high resistance to moisture & heat.
- 5). **DOOR:**
Frame work of 30mm x 30mm square pipe external wall made by M.S. sheet & inner wall decorated with 9mm. MDF board & suitable locking system.
- 6). **PAINT:**
All components are washed thoroughly with epoxy thinner, joints filled with carpape and then painted with epoxy red oxide both outside/inside & then painted with two coats of epoxy paint. (This is done to give an aesthetic look to the cabin and it also has a longer life compared to other paints.)
- 7). **PLUMBING:**
All plumbing work will be concealed and fitted with accessories.
- 9). **ELECTRICAL:**
All electric wiring will be concealed & fitted with modular switches & sockets, fans, tube lights & bulk head light above the door will be provided.